Datasheet

PBX Call Assist 5

Unified communications solution with CTI, cross-media presence management and individual/group chat





- SIP softphone for maximum flexibility and mobility in your day-to-day work routine
- Screen sharing for smooth cooperation
- Platform-independent multi-device support with free choice of device
- VideoChat from client to client
- Presence management availability of your employees at a glance

Your advantages in detail

With PBX Call Assist 5, companies are able to improve their communication and collaboration internally and across company boundaries with partners, suppliers and customers.

In addition to CTI, instant messaging and a Microsoft Teams app for Windows including synchronized presence management, PBX Call Assist 5 also offers options for audio/video communication (WebRTC- based). Extensive softphone functions (SIP) and smartphone integration via Bluetooth on the Windows clients are also included.

You can obtain the PBX Call Assist 5 software and the user licenses directly from the online shop. Without user licenses, the software can be used as a demo version for 45 days.



PBX Call Assist 5

Features at a glance

SOFTPHONE FUNCTIONALITIES¹

- dial number
- Call reject
- Call accept
- On hold
- Call query
- Reject in call status
- Forwarding in call status²
- Forwarding during a call²
- Establish inquiry²
- Call brokering²
- Connect inquiry²
- Conference²

PRESENCE MANAGEMENT

- Automatic presence state detection:
 - Online and available
 - Online and busy
 - Online but absent
 - Online but inactive
 - Offline
- Manual presence state setting:
 - Busy
 - Available
 - Do not disturb
 - Absent

INSTANT MESSAGING

- Sending text messages between two or more PBX Call Assist clients
- Easy sharing of files, photos and videos via Windows and mobile apps via a central storage location

VIDEO CHAT³

- VideoChat accept
- VideoChat reject
- VideoChat initiate

COMPUTER SMARTPHONE INTEGRATION

- Bluetooth[®] pairing with the Windows PC
- Search in smartphone contacts via the Windows PC
- Hotkey Support
- Control of smartphone telephony via PC client
- Journal support

DATA SOURCES

- Active Directory
- Das Telefonbuch
- DATEV pro
- Google Apps for Work / G Suite
- Herold
- IBM Notes databases
- KlickTel
- TwixTel
- LDAP (OpenLDAP, requires MetaDirectory license)
- Microsoft Dynamics AX, CRM and Navision
- Microsoft Dynamics CRM Online
- Microsoft Office 365
- OBDC (Access, SQL Server, MySQL)
- Public Exchange directory
- Salesforce

CTI FUNCTIONS

- Outgoing call dialling with:
 - Direct phone number input
- Context menu (right click on the contact)
- Selecting a phone number and executing via hotkey
- Displaying incoming calls in the call window
- Supported TAPI functions:
- Call accept
- Call reject
- Call end
- On Hold
- Query callCall forwarding
- Pick-up (not across different sites)
- Conference (3PTY)
- Call forwarding set/delete
- Call protection set/delete
- List of missed calls
- Notes set/delete

COMPATIBLE PRODUCTS

- 90118 / COMpact 4000
- 90334 / COMpact 5200
- 90335 / COMpact 5200R
- 90336 / COMpact 5500R
- 90670 / COMmander® 6000
- 90022 / COMtrexx® Business
- 90021 / COMtrexx® VM



- 90023 / COMtrexx® Advanced
- 90027 / COMtrexx® Next

TECHNICAL SPECIFICATIONS

System requirements client PC hardware

• CPU: 2 Core @ 2 GHz

• RAM: 8 GByte

• Hard drive capacity: 1 GByte

• Network: 100 Mbit

System requirements server PC hardware

• CPU: 2 Core @ 2 GHz

• RAM: 8 GByte

• Hard drive capacity: 10 GByte

• Network: 1 Gbit/s

Operating systems⁴

- Terminal server
- Windows Server 2012 R2
- Windows Server 2016
- Windows Server 2019
- Windows 8.1
- Windows 10
- macOS Sierra / High Sierra / Mojave
- iOS from 10.3
- Android from 11

AVAILABILITY

Auerswald Shop

IINFORMATION Designation: PBX Call Assist 5 Article number: 94xxx





¹ not for macOS

² just for the Windows client

³ Windows, iOS, Android and only among PBX Call Assist Users

⁴ ICT systems from firmware 8.0A-004